DATASHEET



Revisions Issue Date Note 1 08/4/2022 See GTXPDC/472

1. Mechanical

Cable Retention Equal to breaking strain of cable

Durability 500 mating cycles

Fixing Method Crimp

2. Environmental

RoHS Compliant Yes

Temperature Range -55 to +85 degrees C

3. Electrical

Dielectric Withstanding 1500 Volts RMS Maximum

Impedance 50 ohms
Interface Frequency 4 GHz

Working Voltage 500 Volts RMS Maximum



	Description	Material	Finish	
1	Body	Zinc Alloy	Nickel	
2	Contact	Brass	Gold	
3	Dielectric	Delrin	White	
4	Ferrule	Brass	Nickel	

Unless otherwise specified tolerances $0.5\text{-}5 = \pm 0.2$ $\Rightarrow 5\text{-}30 = \pm 0.4$ $\Rightarrow 30\text{-}120\text{-}315 = \pm 1.0$ $\Rightarrow 315\text{-}1000 = \pm 1.6$ Angles = $\pm 5^\circ$ Units = mm

This document is the confidential property of Gigatronix Limited and may not be copied, reproduced or transmitted to any third party without written authorisation.



Author	PJP
Drawn by	PJP
Drawing date	08/4/2022
Checked by	DB
Checked date	13/04/2022
Scale	Not to scale

Part Number BN10-0058-C06D

Title: BNC Crimp Jack, Nickel Plated, RG58, LBC195, URM43

	Revisions		
Issue	Date	Note	
1	08/4/2022	See GTXPDC/472	

ASSEMBLY INSTRUCTIONS

Assembly Instructions:

1) Slide the ferrule onto the cable and strip the cable to the dimensions as shown, taking care not to nick the centre conductor or braid





2) Crimp the contact onto the centre core and slide the contact into the body until it captivates, ensuring that the cable braid is on the outside of the connector mandril





Crimp Hex. Sizes:

5.41mm Hex., 1.69mm Hex

Strip Dimensions:

A=8.0mm, B=4.0mm, C=4.0mm



4 Ferrule Brass Nickel 3 Dielectric Delrin White 2 Contact Brass Gold 1 Body Zinc Alloy Nickel		Description	Material	Finish	
3 Dielectric Delrin White	1	Body	Zinc Alloy	Nickel	
	2	Contact	Brass	Gold	
4 Ferrule Brass Nickel	3	Dielectric	Delrin	White	
	4	Ferrule	Brass	Nickel	

3

Unless otherwise specified tolerances $0.5-5=\pm0.2$ >5-30 = ±0.4 >30-120 = ±0.6 >120-315 = ±1.0 >315-1000 = ±1.6 Angles = $\pm5^{\circ}$ Units = mm

This document is the confidential property of Gigatronix Limited and may not be copied, reproduced or transmitted to any third party without written authorisation.



Author	РЈР
Drawn by	PJP
Drawing date	08/4/2022
Checked by	DB
Checked date	13/04/2022
Scale	Not to scale

Part Number BN10-0058-C06D

Title: BNC Crimp Jack, Nickel Plated, RG58, LBC195, URM43