
| Revisions | | | | |
|-----------|------------|--------------------|--|--|
| Issue | Date | Note | | |
| 1 | 31/01/2018 | See note 470145736 | | |

SUMMARY VIEW



| 5 Dielectric PTFE White 4 Ferrule Brass Nickel 3 Pin Brass Gold 2 Coupling Nut Brass Nickel 1 Body Brass Nickel | |
|---|--|
| 4 Ferrule Brass Nickel 3 Pin Brass Gold | |
| 4 Ferrule Brass Nickel | |
| | |
| 5 Dielectric PTFE White | |
| | |
| | |
| | |
| | |

Unless otherwise specified tolerances $0.5\text{-}5 = \pm 0.2$ $\Rightarrow 5\text{-}30 = \pm 0.4$ $\Rightarrow 30\text{-}120 = \pm 0.6$ $\Rightarrow 120\text{-}315 = \pm 1.0$ $\Rightarrow 315\text{-}1000 = \pm 1.6$ Angles = $\pm 5^\circ$ Units = mm

This document is the confidential property of Gigatronix Limited and may not be copied, reproduced or transmitted to any third party without written authorisation.



| | Author | РЈР |
|--|--------------|------------|
| | Drawn by | PJP |
| | Drawing date | 31/01/2018 |
| | Checked by | DB |
| | Checked date | 05/02/2018 |
| | Scale | 4:1 |

Part Number | MA15-0174-C06

Title: SMA Crimp Plug, Nickel Plated, RG174, LBC100, RG316